

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)
	:
Akira FUNAKOSHI et al.	) Examiner: C. F. Dexter
	:
Application No.: 08/801,464	) Group Art Unit: 3724
	:
Filed: February 18, 1997	) Confirmation No.: 6299
	:
For: SUBSTRATE CUTTING METHOD	) November 22, 2006
	:
U.S. Patent No. 7,077,120 B2	)
	:
Issued: July 18, 2006	)

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Attention: Certificate of Correction Branch**

REQUEST FOR  
CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

Patentees request that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of U.S. Patent and Trademark Office mistakes and mistakes of a minor nature which are not the fault of the U.S. Patent and Trademark Office.

The statutory fee of \$100.00 is being paid electronically. Any additional fee required by this paper may be charged to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. Office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Steven E. Warner", is written over a horizontal line.

Attorney for Patentees  
Steven E. Warner  
Registration No. 33,326

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200  
SEW/cab

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,077,120 B2

DATED : July 18, 2006

INVENTOR(S): Akira FUNAKOSHI et al.

Page 1 of 3

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2:

Line 16, "has the same" should read -- have the same --.

Line 45, "for a sensitivity as well" should read -- for sensitivity, as well, --.

COLUMN 3:

Line 17, "as if in a plane" should read -- substantially in a plane --.

COLUMN 5:

Line 66, "specifically speaking," should read -- specifically, --.

COLUMN 6:

Line 1, "as if" should be deleted.

Line 46, "portion (1)" should read -- portion (2) --.

Line 47, "portion (2)" should read -- portion (1) --.

Line 52, "portion (1)" should read -- portion (2) --.

Line 66, "a precision" should read -- precision --.

MAILING ADDRESS OF SENDER:

PATENT NO. 7,077,120 B2

**FITZPATRICK, CELLA, HARPER & SCINTO**  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

No. of add'l. copies  
@ 30¢ pcr page

FORM PTO 1050 (REV. 3.82)



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,077,120 B2

DATED : July 18, 2006

INVENTOR(S): Akira FUNAKOSHI et al.

Page 2 of 3

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7:

- Line 1, "a cutting" should read -- cutting --.
- Line 52, "portion (1)" should read -- portion (2) --.
- Line 53, "portion (2)" should read -- portion (1) --.
- Line 59, "portion (1)" should read -- portion (2) --.

COLUMN 8:

- Line 11, "was rotated" should read -- is rotated --.
- Line 24, "common" should read -- fourth common --.

COLUMN 9:

- Line 7, "cross sectional" should read -- cross-sectional --.
- Line 48, "in case" should read -- in the case --.
- Line 50, "Specifically speaking," should read -- Specifically, --.
- Line 63, "Specifically speaking," should read -- Specifically, --.

MAILING ADDRESS OF SENDER:

PATENT NO. 7,077,120 B2

**FITZPATRICK, CELLA, HARPER & SCINTO**  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

No. of add'l. copies  
@ 30¢ per page

FORM PTO 1050 (REV. 3.82)



**Staple  
Here  
Only!**

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,077,120 B2

DATED : July 18, 2006

INVENTOR(S): Akira FUNAKOSHI et al.

Page 3 of 3

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 10:

Line 45, "as if" should be deleted.

Line 60, "an accuracy" should read -- accuracy --.

MAILING ADDRESS OF SENDER:

**FITZPATRICK, CELLA, HARPER & SCINTO**  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

FORM PTO 1050 (REV. 3.82)

PATENT NO. 7,077,120 B2

No. of add'l. copies  
@ 30¢ per page

